



Bahador Shahriari
Professor of Immunoparasitology

Personal Information

- **Surname:** Bahador
- **Family name:** Shahriari
- **Previous family name:** Sarkari
- **Date of Birth:** 12-22-1964
- **Address:** Department of Parasitology and Mycology, School of Medicine, Shiraz University of Medical Sciences, Shiraz, Iran
Tel: 0098 711 2305291 Fax: 0098 71102305291
E mail: sarkarib@sums.ac.ir

Educations

PhD in Immunoparasitology: 1998–2001, Liverpool School of Tropical Medicine, University of Liverpool, UK.

Diploma in human immunity: 1997-1998, Department of immunology, Faculty of Medicine, University of Liverpool, UK

MSc in Parasitology: 1990-1992, Department of Parasitology, Tarbiat Moddress University, Tehran, Iran.

Professional experiences

2007-Con: Lecturer in Faculty of Medicine, Shiraz University of Medical Sciences, Shiraz, Iran

2001-2007: Lecturer in Faculty of Medicine, Yasuj University of Medical Sciences, Yasuj, Iran

Training courses

8 September - 24 October 2004: Advanced WHO/TDR course on Immunology, Vaccinology and Biotechnology Applied to Infectious Diseases, Lausanne, Switzerland.

24 October to 4 November 2005: 4th South East Asian Training Course on Bioinformatics Applied to Tropical Diseases, sponsored by WHO/TDR, New Delhi, India.

7-11 December 2002: Workshop on Generation of Recombinant Monoclonal Antibodies in E coli. Organised by National Research Centre for Genetic and Biotechnology, Tehran, Iran.

18-27, June 2007: Training Workshop on Ethical Considerations and Biomedical Use of Non-Human Primates for Research in Tropical Diseases. Institute of Primate Research, Nairobi, Kenya.

Publications

1. Rezaei Z, Pouladfar G, Ramezani A, Mostafavi-Pour Z, Abbasian A, **Sarkari B**, Pourabbas B. Importance of *L. Infantum* H2B Recombinant Antigen for Serodiagnosis of Visceral Leishmaniasis. Iran J Immunol. 2019;16(4):311-320.
2. Rezaei Z, Van Reet N, Pouladfar G, Kühne V, Ramezani A, **Sarkari B**, Pourabbas B, Büscher P. Expression of a rK39 homologue from an Iranian *Leishmania infantum* isolate in *Leishmania tarentolae* for serodiagnosis of visceral leishmaniasis. Parasit Vectors. 2019 Dec 18;12(1):593.
3. Arefkhah N, **Sarkari B**, Rozrokh S, Rezaei Z, Moshfe A. Toxoplasmosis in Nomadic Communities: A Seroepidemiological Study in Southwestern Iran. Ann Ig. 2020 Jan-Feb;32(1):50-55.
4. Arefkhah N, Shadzi MR, Mikaeili F, **Sarkari B**, Esfandiari F, Goudarzi F. Seroprevalence and associated risk factors of toxocariasis among nomads in Boyer-Ahmad County, southwest Iran. Trans R Soc Trop Med Hyg. 2019 Dec 11. pii: trz117.
5. Moshfe A, Arash A, Erfani N, Jamshidi A, **Sarkari B**, KHABISI SA, et al. Clinical features, Diagnosis and Management of Patients with Suspicion of Fascioliasis in Kohgiluyeh and Boyer-Ahmad Province, Southwestern Iran. Iranian Journal of Parasitology. 2020;15(1):84-90.
6. Khatami SH, Taheri-Anganeh M, Arianfar F, Savardashtaki A, Sarkari B, Ghasemi Y, et al. Analyzing Signal Peptides for Secretory Production of Recombinant Diagnostic Antigen B8/1 from *Echinococcus granulosus*: An In silico Approach. Molecular Biology Research Communications. 2020:1-10.
7. Erfani A, Pouryousef A, Arefkhah N, Shahriarirad R, Jahromi MR, Zeighami A, et al. Seroprevalence of toxocariasis and its related risk factors among municipal street sweepers in Shiraz District in Fars Province, southern Iran. Clinical Epidemiology and Global Health. 2020.
8. Noorpisheh Ghadimi S, Abedini MR, **Sarkari B**, Savardashtaki A, Mikaeili F. *Neobalantidium coli*: First molecular identification from the Eurasian wild boar, *Sus Scrofa* in Bushehr Province, Southwestern Iran. Vet Med Sci. 2020 Feb;6(1):142-146.
9. Moshfe A, **Sarkari B**, Arefkhah N, Nikbakht R, Shahriarirad R, Rezaei Z, Jamshidi A, Moradian F. Seroepidemiological study of cystic echinococcosis in nomadic communities in the southwest of Iran: A population-based study. J Immunoassay Immunochem. 2019;40(2):183-192.
10. Savardashtaki A, Mostafavi-Pour Z, Arianfar F, **Sarkari B**. Comparison of the Utility of Recombinant B8/2 Subunit of the Antigen B, Native Antigen, and a Commercial ELISA Kit in the Diagnosis of Human Cystic Echinococcosis. Iran Biomed J. 2019 Jul;23(4):246-52.

11. Arefkhah N, Vafazadeh S, Shahriarirad S, Ghorbani F, Zoghi S, Emami M, Zamiri B, Cheraghi MR, Sarvari J, **Sarkari B**. Serum levels of anti-hepatitis B surface antibodies among vaccinated children aged 1 to 12 years in a rural community in Fars Province, southern Iran. *J Immunoassay Immunochem*. 2019 Oct;7:1-8.
12. Arefkhah N, Goodarzi R, Rezaei Z, Layegh Gigloo A, **Sarkari B**. Low prevalence of Toxoplasma gondii infection among children in a rural community in Fars province, Southern Iran. *Infez Med*. 2019 Sep 1;27(3):322-327.
13. Noorpisheh Ghadimi S, Homayoon L, Shahriarirad R, Fatehpour S, Rastegarian M, **Sarkari B**. Attenuated Leishmania major Induce a High Level of Protection against Leishmania infantum in BALB/c Mice. *Iran J Parasitol*. 2019 Apr-Jun;14(2):310-317.
14. Zaraei M, Arefkhah N, Moshfe A, Ghorbani F, Mikaeili F, **Sarkari B**. Prevalence of bovine fascioliasis in a new-emerging focus of human fascioliasis in BoyerAhmad district, southwest of Iran. *Comp Immunol Microbiol Infect Dis*. 2019 Oct;66:101350.
15. Barazesh A, **Sarkari B**, Sarisu G, Hami M, Mikaeili F, Aydin A, Ekici A, Ebrahimi S. Comparative Genotyping of Echinococcus granulosus Infecting Livestock in Turkey and Iran. *Turkiye Parazitol Derg*. 2019 Sep 10;43(3):123-129.
16. Arefkhah N, Pourabbas B, Asgari Q, Moshfe A, Mikaeili F, Nikbakht G, **Sarkari B**. Molecular genotyping and serological evaluation of Toxoplasma gondii in mothers and their spontaneous aborted fetuses in Southwest of Iran. *Comp Immunol Microbiol Infect Dis*. 2019 Oct;66:101342.
17. Esfandiari F, **Sarkari B**, Turki H, Arefkhah N, Shakouri N. Level of circulating steroid hormones in malaria and cutaneous leishmaniasis: a case control study. *J Parasit Dis*. 2019 Mar;43(1):54-58. doi: 10.1007/s12639-018-1055-2. Epub 2018 Nov 20.
18. Zoghi S, Emami M, Shahriarirad S, Vahedi R, Cheraghi MR, Zamiri B, Arefkhah N, Ghorbani F, **Sarkari B**. Human fascioliasis in nomads: A population-based serosurvey in southwest Iran. *Infez Med*. 2019 Mar 1;27(1):68-72
19. **Sarkari B**, Rezaei Z, Mohebali M. Immunodiagnosis of visceral leishmaniasis: Current status and challenges: A review article. *Iran J Parasitol*, 2018; 13 (3), 331-341.
20. **Sarkari B**, Alirezaei R, Layegh Gigloo A, Rezaei Z, Mikaeili F, Bahreini MS, Fararouei M. Seroprevalence and risk factors for Toxocara infection among children in a rural community in Fars province, southern Iran. *Parasite Immunol*. 2018 Nov;40(11):e12582.
21. **Sarkari B**, Mansouri M, Noorpisheh Ghadimi S, Abdolah Khabisi S, Doshmanziari A. Molecular Evaluation of a Case of Fasciola hepatica in Wild Boar in Southwestern Iran: A Case Report. *Iran J Parasitol*. 2018 Jan-Mar;13(1):149-155.
22. Arefkhah N, **Sarkari B**, Afrashteh M, Rezaei Z, Dehghani M. Toxoplasma gondii: The prevalence and risk factors in HIV-infected patients in Fars Province, Southern Iran, *Iran Red Crescent Med J*. 2018 ; 20(6):e66521.

23. Borazjani R, Aminnia S, Rastegarian M, Hosseini M, Ghanbarinasab Z, **Sarkari B**. Effect of Hydroalcoholic Extract of Arnebia Euchroma on the Treatment of Cutaneous Leishmaniasis. *J Clin Diag Res.* 2018; 12 (8):21-23.
24. Rezaei, **Sarkari B**, Dehghani M, Layegh Gigloo A, Afrashteha M. High frequency of subclinical Leishmania infection among HIV-infected patients living in the endemic areas of visceral leishmaniasis in Fars province, southern Iran. *Parasitol Res.* 2018 Aug;117(8):2591-2595.
25. Noorpisheh Ghadimi S, Farjadian S, Hatam GR, Kalani M, **Sarkari B**. Vaccination with live attenuated *L. major* and TLR4 agonist promotes a Th1 immune response and induces protection against *L. major* infection in BALB/c mice. *Iran J Immunol.* 2018 Jun;15(2):74-83.
26. Layegh Gigloo A, **Sarkari B**, Rezaei Z, Hatam GR, Davami MH. Asymptomatic Leishmania Infected Children: A Seroprevalence and Molecular Survey in a Rural Area of Fars Province, Southern Iran. *J Trop Med.* 2018; 8167247.
27. Moshfe A, Arefkhah N, **Sarkari B**, Kazemi S, Mardani A. Toxoplasma gondii in Blood Donors: A Study in Boyer-Ahmad County, Southwest Iran. *Interdiscip Perspect Infect Dis.* 2018; 3813612.
28. **Sarkari B**, Mansouri M, Ghadimi Sn, Khabisi SA, Doshmanziari A. Molecular Evaluation of a Case of *Fasciola hepatica* in Wild Boar in Southwestern Iran: A Case Report. *Iranian J Parasitol.* 2018;13(1):149-55.
29. Fatemi Esfeden A, **Sarkari B**, Mikaeili F. Genetic Variability of Antigen B8/1 among *Echinococcus granulosus* Isolates from Human, Cattle, and Sheep in Fars Province, Southern Iran. *Rep Biochem Mol Biol.* 2018 Apr;6(2):164-160.
30. Barazesh A, **Sarkari B**, Ebrahimi S, Hami M. DNA extraction from hydatid cyst protoscolices: Comparison of five different methods. *Vet World.* 2018 Feb;11(2):231-234.
31. Azadi MDA, Hassanjili S, Zarabi K, **Sarkari B**. Solidification of hydatid cyst fluid with an injectable chitosan/carboxymethylcellulose/β-glycerophosphate hydrogel for effective control of spillage during aspiration of hydatid cysts. *Prog Biomater.* 2018 Mar;7(1):35-54.
32. Hemyari C, Zomorodian K, Sahraian A, Mardani Z, **Sarkari B**, Ahmadi N. Impact of Students' Class Attendance on Recalling Previously Acquired Information. *Journal of Medical Education.* 2018;16(4):17247.
33. Ranjbar MJ, **Sarkari B**, Mowlavi GR, Seifollahi Z, Moshfe A, Abdolahi Khabisi S, Mobedi I. Helminth Infections of Rodents and Their Zoonotic Importance in Boyer-Ahmad District, Southwestern Iran. *Iran J Parasitol.* 2017 Oct-Dec;12(4):572-579.

34. Mohammadi-Ghalehbin B, Hatam G, **Sarkari B**, Mohebali M, Zarei Z, Bohlooli S. Cytokine Profile of Leishmania Infantum Fucose-Mannose Ligand in Vaccinated Dogs in the Northwest of Iran. *Iranian J immunol.* 2017 Dec;14(4):293-305.
35. Azizi K, Askari MB, Kalantari M, **Sarkari B**, Turki H. Acomys dimidiatus (Rodentia: Muridae): Probable reservoir host of Leishmania major, southern Iran. *Annals of Tropical Medicine and Public Health.* 2017;10(4):1032.
36. **Sarkari B**, Parhoode M, Abdolah Khabisi S, Shafiei R, Mohammadi-Ghalehbin B. Genetic diversity of Fasciola spp. isolates from northern part of Iran: comparison with southwestern isolates. *J Parasit Dis.* 2017 Sep;41(3):768-772.
37. **Sarkari B**, Khabisi SA. Immunodiagnosis of Human Fascioliasis: An Update of Concepts and Performances of the Serological Assays. *J Clin Diagn Res.* 2017 Jun;11(6):OE05-OE10. doi: 10.7860/JCDR/2017/26066.10086.
38. Rahimi HR, Mohammadzadeh T, Sadjjadi SM, **Sarkari B**, Zahabiun F. BALB/c Mice Immunity to Hydatidosis Induced by In-vitro Reared Echinococcus granulosus Adult Worm Antigens. *Iranian Journal of Immunology.* 2017 Jun;14(2):123-133.
39. Taghizadeh H, Shahriarirad R, Erfani A, Nekouei F, Seifbehzad S, Khabisi SA, **Sarkari B**. Seroepidemiological survey of toxoplasmosis among female university students in Shiraz, southern Iran. *Annals of Tropical Medicine and Public Health.* 2017;10(2):362.
40. Savardashtaki A, **Sarkari B**, Arianfar F, Mostafavi-Pour Z. Immunodiagnostic Value of Echinococcus Granulosus Recombinant B8/1 Subunit of Antigen B. *Iranian J immunol.* 2017 Jun;14(2):111-122.
41. Norouzi LY, **Sarkari B**, Asgari Q, Khabisi SA. Molecular Evaluation and seroprevalence of Toxoplasmosis in Pregnant Women in Fars province, Southern Iran. *Annals of Medical and Health Sciences Research.* 2017;7(1):16-9.
42. **Sarkari B**, Mohseni M, Moein MR, Shahriarirad R, Asgari Q. Effect of hydroalcoholic extract of Echinacea purpurea in combination with meglumine antimoniate on treatment of Leishmania major-induced cutaneous leishmaniasis in BALB/c mice. *Int J Appl Basic Med Res.* 2017 Jan-Mar;7(1):53-56.
43. Abdolah Khabisi S, **Sarkari B**, Moshfe A, Jalali S. Production of Monoclonal Antibody Against Excretory-Secretory Antigen of Fasciola hepatica and Evaluation of Its Efficacy in the Diagnosis of Fascioliasis. *Monoclon Antib Immunodiagn Immunother.* 2017 Feb;36(1):8-14.
44. **Sarkari B**, Hosseini F, Abdolah Khabisi S, Sedaghat F. Seroprevalence of cystic echinococcosis in blood donors in Fars province, southern Iran. *Parasite Epidemiol Control.* 2016 Dec 15;2(1):8-12.

45. **Sarkari B**, Hosseini G, Motazedian MH, Fararouei M, Moshfe A. Prevalence and risk factors of intestinal protozoan infections: a population-based study in rural areas of Boyer-Ahmad district, Southwestern Iran. *BMC Infect Dis.* 2016 Nov 25;16(1):703.
46. **Sarkari B**, Sedaghat B, Hatam GR. Comparative study on isoenzyme patterns of *Fasciola hepatica* and *Fasciola gigantica*. *Trop Biomed.* 2016; 33(3): 462–468.
47. Mansouri M, **Sarkari B**, Mowlavi GR. Helminth Parasites of Wild Boars, *Sus scrofa*, in Bushehr Prov-ince, Southwestern Iran - *Iran J Parasitol*, 2016; 11 (3): 377-382.
48. Yaghoobi K, **Sarkari B**, Mansouri M, Motazedian MH. Zoonotic intestinal protozoan of the wild boars, *Sus scrofa* , in Persian Gulf's coastal area (Bushehr province), outhwestern Iran, *Vet World*, 2016; 9 (10): 1047-1050.
49. **Sarkari B**, Sattari H, Moein MR, Tamadon AM, Rad RS, Asgari Q. Effect of topical gel prepared with hydroalcoholic extract of *Echinacea purpurea* on treatment of *Leishmania* major-induced cutaneous leishmaniasis in BALB/C mice. *Journal of Pharmaceutical Negative Results.* 2016;7(1):12.
50. Barazesh A, **Sarkari B**, Sisakht FM, Khabisi SA, Nikbakht R. Seroprevalence and Molecular Evaluation of Toxoplasmosis in Patients Undergoing Chemotherapy for Malignancies in the Bushehr Province, Southwest Iran . *Jundishapur J Microbiol* 2016; 9(9): e35410.
51. **Sarkari B**, Mansouri M, Najjari M, Derakhshanfar A, Mowlavi G. *Macracanthorhynchus hirudinaceus*: the most common helminthic infection of wild boars in southwestern Iran. *J Parasitic Dis.* 2016 Dec;40(4):1563-1566.
52. Khabisi SA, **Sarkari B**. Detection of *Fasciola hepatica* and *Fasciola gigantica* common and uncommon antigens, using rabbit hyper immune serum raised against their excretory-secretory and somatic antigens *J Parasitic Dis*, *J Parasit Dis.* 2016 Dec;40(4):1552-1557.
53. **Sarkari B**, Sattari H, Moein MR, Tamadon AM, Shahriari Rad R, Asgari Q. Effect of topical gel prepared with hydroalcoholic extract of *Echinacea purpurea* on treatment of *Leishmania* major-induced cutaneous leishmaniasis in BALB/C mice. *Journal of Pharmaceutical Negative Results.* 2016; 7 (1), 12-15.
54. **Sarkari B**, Ahmadpour NB, Motazedian MH, Mirjalali H, Akhoundi M, Mohebali M, Hajjaran H. Inter- and Intraspecific Variations of *Leishmania* Strains Isolated from Patients with Cutaneous and Visceral Leishmaniases in Fars Province, South of Iran. *Iran J Med Sci.* 2016 May;41(3):209-16.
55. **Sarkari B**, Bavarsad Ahmadpour N, Moshfe A, Hajjaran H. Molecular Evaluation of a Case of Visceral Leishmaniasis Due to *Leishmania tropica* in Southwestern Iran. *Iran J Parasitol.* 2016 Jan-Mar;11(1):126-30.
56. Seifollahi Z, **Sarkari B**, Motazedian MH, Asgari Q, Ranjbar MJ, Abdolahi Khabisi S. Protozoan Parasites of Rodents and Their Zoonotic Significance in Boyer-Ahmad District, Southwestern Iran. *Vet Med Int.* 2016;2016:3263868.

57. Azizi K, Parvinjahromi H, Moemenbellah-Fard MD, **Sarkari B**, Fakoorziba MR. Faunal Distribution and Seasonal Bio-ecology of Naturally Infected Sand flies in a New Endemic Zoonotic Cutaneous Leishmaniasis Focus of Southern Iran. *J Arthropod Borne Dis.* 2016; 10(4): 560–568.
58. Motazedian MH, Kazemi B, Shahriari B, Bandehpour M, Khanaliha K. Immunoreactivity Analysis of *Toxoplasma gondii* Recombinant Antigen rSAG3 in Sera from Immunized BALB/c Mice and Toxoplasmosis Patients. 2016 Jul; 45(7): 911–916.
59. **Sarkari B**, Naraki T, Ghatee MA, Abdolahi Khabisi S, Davami MH. Visceral Leishmaniasis in Southwestern Iran: A Retrospective Clinico-Hematological analysis of 380 Consecutive Hospitalized Cases (1999-2014). *PLoS One.* 2016 Mar 4;11(3):e0150406.
60. Zibaei M, Sadjjadi SM, **Sarkari B**, Uga S. Evaluation of *Toxocara cati* Excretory-Secretory Larval Antigens in Serodiagnosis of Human Toxocariasis. *J Clin Lab Anal.* 2016 May;30(3):248-53.
61. **Sarkari B**, Mansouri M, Khabisi SA, Mowlavi G. Molecular characterization and seroprevalence of *Echinococcus granulosus* in wild boars (*Sus scrofa*) in south-western Iran. *Ann Parasitol.* 2015;61(4):269-73.
62. Ashrafmansouri M, **Sarkari B**, Hatam G, Habibi P, Abdolahi Khabisi S. Utility of Western Blot Analysis for the Diagnosis of Cutaneous Leishmaniasis. *Iran J Parasitol.* 2015 Oct-Dec;10(4):599-604.
63. Hosseini G, **Sarkari B**, Moshfe A, Motazedian MH, Abdolahi Khabisi S. Epidemiology of Human Fascioliasis and Intestinal Helminthes in Rural Areas of Boyer-Ahmad Township, Southwest Iran; A Population Based Study. *Iran J Public Health.* 2015 Nov;44(11):1520-5.
64. **Sarkari B**, Rezaei Z. Immunodiagnosis of human hydatid disease: Where do we stand? *World J Methodol.* 2015 Dec 26;5(4):185-95.
65. Hatam GR, Nejati F, Mohammadzadeh T, Shahriari Rad R, **Sarkari B**. Population-Based Seroprevalence of Malaria in Hormozgan Province, Southeastern Iran: A Low Transmission Area. *Malar Res Treat.* 2015;2015:174570.
66. **Sarkari B**, Gadami F, Shafiei R, Motazedian MH, Sedaghat F, Kasraian L, Tavasoli AR, Zarnegar G, Nikmanesh Y, Davami MH. Seroprevalence of Leishmania infection among the healthy blood donors in kala-azar endemic areas of Iran. *J Parasit Dis.* 2015 Sep;39(3):545-9.
67. Shafiei R, **Sarkari B**, Sadjjadi SM. Performance of a 27 kDa *Fasciola hepatica* Antigen in the Diagnosis of Human Fascioliasis. *J Lab Physicians.* 2015 Jan-Jun;7(1):17-20.
68. **Sarkari B**, Abdolahi Khabisi S. Severe congenital toxoplasmosis: a case report and strain characterization. *Case Rep Infect Dis.* 2015;2015:851085.
69. **Sarkari B**, Bavarsad N, Motazedian MH, Mirjalali H, Akhouni M, Mohebali M, Hajjarian H. Inter and intra-specific variations of *Leishmania* strains isolated from cutaneous and visceral leishmaniasis patients in Fars province, south of Iran. *Iranian J Med Sci.* 2015, ID 851085.

70. Moemenbellah-Fard MD, **Sarkari B**, Azizi K, Fakoorziba MR, Mohammadi J, Amin M. Faunal distribution of fleas and their blood-feeding preferences using enzyme-linked immunosorbent assays from farm animals and human shelters in a new rural region of southern Iran. *J Parasit Dis*, 2015.
71. Foroughi-Parvar F, Hatam GR, **Sarkari B**, Kamali-Sarvestani E. *Leishmania infantum* FML pulsed-dendritic cells induce a protective immune response in murine visceral leishmaniasis. *Immunotherapy*. 2015 Jan;7(1):3-12.
72. **Sarkari B**, Asgari Q, Bagherian N, Ashkani Esfahani S, Kalantari M, Mohammadpour I, Ashrafmansori M, Amerinia M, Sabet Sarvestani F. Molecular and Serological Evaluation of *Toxoplasma gondii* Infection in Reared Turkeys in Fars Province, Iran. *Jundishapur J Microbiol*. 2014 Jul;7(7):e11598.
73. **Sarkari B**, Ashrafmansouri M, Hatam G, Habibi P, Abdolah Khabisi S. Performance of an ELISA and indirect immunofluorescence assay in serological diagnosis of zoonotic cutaneous leishmaniasis in Iran. *Interdiscip Perspect Infect Dis*. 2014; 2014:5051344.
74. **Sarkari B**, Qasem A, Shafaf MR. Knowledge, attitude, and practices related to cutaneous leishmaniasis in an endemic focus of cutaneous leishmaniasis, Southern Iran. *Asian Pac J Trop Biomed*. 2014 Jul;4(7):566-9.
75. **Sarkari B**, Shafiei R, Zare M, Sohrabpour S, Kasraian L. Seroprevalence and molecular diagnosis of *Toxoplasma gondii* infection among blood donors in southern Iran. *J Infect Dev Ctries*. 2014 Apr 15;8(4):543-7.
76. **Sarkari B**, Lari M, Shafiei R, Sadjjadi SM. Comparative seroprevalence study of toxocariasis in hypereosinophilic and apparently healthy individuals. *Arch Pediatr Infect Dis*, 2014, 3(3), e17911A.
77. Shafiei R, **Sarkari B**, Moshfe A. A Consistent PCR-RFLP Assay Based on ITS-2 Ribosomal DNA for Differentiation of *Fasciola* Species. *Iran J Basic Med Sci*. 2013 Dec; 16(12):1266-9.
78. Khanaliha K, Motazedian MH, Kazemi B, Sarkari (Shahriari) B, Bandehpour M, Sharifniya Z. Evaluation of Recombinant SAG1, SAG2, and SAG3 Antigens for Serodiagnosis of Toxoplasmosis. *Korean J Parasitol*. 2014 Apr;52(2):137-42.
79. Mohammadzadeh T, Hatam G, Kalantari M, **Sarkari B**, Motazedian MH, Sadjjadi SM, Safari R. Molecular and Microscopic-Based Characterization of *Plasmodium* spp. in Fars and Hormozgan Provinces, South of Iran. *J Trop Med*. 2014;2014:935469.
80. **Sarkari B**, Biranvand E, Sadjjadi SM, Rahimi HR. Genetic Variability of Antigen B2 of human, Sheep, Goats, Camel and Cattle Isolates of *Echinococcus granulosus* in Iran. *Iranian J Parasitol*, 8 (4), Oct -Dec 2013.
81. **Sarkari B**, Gadami F, Shafiei R, Motazedian MH, Sedaghat F, Kasraian L, Tavasoli AR, Zarnebar G, Nikmanesh Y, Davami MH. Seroprevalence of *Leishmania* infection among the healthy blood donors in kala-azar endemic areas of Iran. *J Parasit Dis*, 2013, DOI 10.1007/s12639-013-0393-3.

82. Azizi K, Badzohreh A, **Sarkari B**, Fakoorziba MR, Kalantari M, Moemenbellah-Fard MD, Ali-Akbarpour M. Nested polymerase chain reaction and sequence- based cdetection of leishmania infection of sand flies in recently emerged endemic focus of zoonotic cutaneous leishmaniasis, southern iran. *Iran J Med Sci*. 2013 Jun;38(2 Suppl):156-62.
83. **Sarkari B**, Asgari Q, Mirzaei S. Evaluation of Immunohistochemistry and PCR in Diagnosis of Toxoplasma Infection in Tissues of Human Aborted Fetuses. *Zahedan J Res Med Sci (ZJRMS)* 2013; 15(12): 42.
84. Asgari Q, **Sarkari B**, Amerinia M, Panahi S, Mohammadpour I. Toxoplasma Infection in Farm Animals: A Seroepidemiological Survey in Fars Province, South of Iran *Jundishapur J Microbiol*, 2013, 6 (3), 269-72.
85. Asgari Q, Fekri M, Monabati A, Kalantary M, Mohammadpour I, Motazedian MH, **Sarkari B**. Molecular Genotyping of Toxoplasma gondii in Human Spontaneous Aborted Fetuses in Shiraz, Southern Iran. *Iran J Public Health*. 2013, 1; 42(6):620-5.
86. Khosravani A, **Sarkari B**, Negahban H, Sharifi A, Toori MA, Eilami O. Hepatitis B Infection among high risk population: a seroepidemiological survey in Southwest of Iran. *BMC Infect Dis*. 2012, 27; 12:378.
87. Khanaliha K, Motazedian M, **Sarkari B**, Bandehpour M, Sharifnia Z, Kazemi B. Expression and Purification of P43 Toxoplasma gondii Surface Antigen. *Iran J Parasitol*. 2012;7(3):48-53.
88. Mohammadzadeh T, Sadjjadi S, Habibi P, **Sarkari B**. Comparison of Agar Dilution, Broth Dilution, Cylinder Plate and Disk Diffusion Methods for Evaluation of Anti-leishmanial Drugs on Leishmania promastigotes. *Iran J Parasitol*. 2012;7(3):43-7.
89. **Sarkari B**, Ashrafmansori A, Hatam GR, Motazedian MH, Asgari Q, and Mohammadpour I. Genotyping of Giardia lamblia isolates from human in southern Iran. *Tropical Biomedicine*, 2012, 29(3): 366–371.
90. **Sarkari B**, Hatam G, Ghatee MA. Epidemiological features of visceral leishmaniasis in Fars province, southern Iran. *Iranian J Publ Health*, 2012; 41(4):94-99.
91. **Sarkari B**, Ghobakhloo N, Moshfea AA, Eilami O. Seroprevalence of human fasciolosis in a new-emerging focus of fasciolosis in Yasuj district, southwest of Iran. *Iranian J Parasitol*: 2012; 6(2): 15-20.
92. Mohammadzadeh T, Sako Y, Sadjjadi SM, **Sarkari B**, Ito A. Comparison of the usefulness of hydatid cyst fluid, native antigen B and recombinant antigen B8/1 for serological diagnosis of cystic echinococcosis. *Trans R Soc Trop Med Hyg*. 2012 Jun;106(6):371-5.
93. **Sarkari B**, Eilami O, Khosravani A, Sharifi A, Tabatabaei M, Fararouei M. High prevalence of hepatitis C infection among high risk groups in Kohgiloyeh and Boyerahmad Province, Southwest Iran. *Arch Iran Med*. 2012;15(5):271-4.

94. Rahimi H, Sadjjadi S, **Sarkari B**. Performance of antigen B isolated from different hosts and cyst locations in diagnosis of cystic echinococcosis. *Iran J Parasitol*. 2011 Mar;6(1):12-9.
95. Mohammadi-Ghalehbin B, Hatam GR, **Sarkari B**, Mohebali M, Zare Z, Jaberipour M, Bohlouli S. A Leishmania infantum FML-ELISA for the Detection of Symptomatic and Asymptomatic Canine Visceral Leishmaniasis in an Endemic Area of Iran. *Iranian J immunol*. 2011 Dec;8(4):244-50.
96. Rahimi HR, **Sarkari B**, Mohammadzadeh T, Sadjjadi SM. Immune responses to antigens of in vitro reared *Echinococcus granulosus* adult worms in Balb/c mice. *Iranian J immunol*. 2011;8(4):236-43.
97. Pourmohammadi B, Motazedian MH, Handjani F, Hatam GH, Habibi S, **Sarkari B**. Glucantime efficacy in the treatment of zoonotic cutaneous leishmaniasis. *Southeast Asian J Trop Med Public Health*. 2011 May;42(3):502-8.
98. Rezanezhad H, Menegon M, **Sarkari B**, Hatam GR, Severini C. Characterization of the metacaspase 1 gene in *Plasmodium vivax* field isolates from southern Iran and Italian imported cases. *Acta Trop*. 2011 Jul;119(1):57-60. Epub 2011 Apr 16.
99. Sedaghat F, Sadjjadi SM, Hosseini SV, Kazemian S, **Sarkari B**. Evaluation of a simple Dot-ELISA in comparison with countercurrent immunoelectrophoresis for diagnosis of human hydatidosis. *Clin Lab*. 2011;57(3-4):201-5.
100. **Sarkari B**, Pedram N, Mohebali M, Moshfe AA, Zargar MA, Akhouni B, Shirzadi MR. Seroepidemiological study of visceral leishmaniasis in Booyerahmad district, south-west Islamic Republic of Iran. *East Mediterr Health J*. 2010 Nov;16(11):1133-6.
101. Ilami O, **Sarkari B**, Khosravani A, Tori MA, Hosseini Z. HIV seroprevalence among high-risk groups in Kohgiloyeh and Boyerahmad Province, Southwest of Iran, a behavioral surveillance survey. *AIDS Behav*. 2012 Jan;16(1):86-90.
102. Pourmohammadi B, Motazedian M, Hatam G, Kalantari M, Habibi P, **Sarkari B**. Comparison of three methods for diagnosis of cutaneous leishmaniasis. *Iran J Parasitol*. 2010 Dec;5(4):1-8.
103. **Sarkari, B.**, Sadjjadi, S.M., Beheshtian M.M., Aghaee, M., Sedaghat, F. Human cystic echinococcosis in Yasuj district in southwest of Iran: an epidemiological study of seroprevalence and surgical cases over a ten-year period. *Zoonoses and Public Health*, 2010; 57(2):146-50.
104. Asgari Q, Sarnevesht J, Kalantari M, Sadat SJ, Motazedian MH, **Sarkari B**. Molecular survey of Toxoplasma infection in sheep and goat from Fars province, Southern Iran. *Trop Anim Health Prod*. 2011; 43(2):389-92.
105. Davami MH, Motazedian MH, **Sarkari B**. Changing in the profile of leishmaniasis in a focus of cutaneous leishmaniasis in Jahrom, south of Iran. *Annals of Tropical Medicine & Parasitology*, 2010; 104(5):377-82.

106. Zibaei M, Sadjjadi SM, Ishiyama S, **Sarkari B**, Uga S. Production of monoclonal antibody against *Toxocara cati* second-stage larvae and its application for the detection of circulating antigens. *Hybridoma (Larchmt)*. 2010 Jun; 29(3):217-20.
107. Hatam, GR, Adnani, Asgari, Q, Fallah E, Motazedian MH, Sadjjadi, SM, **Sarkari B**. First report of natural infection of cats with *Leishmania infantum* in Iran. *Vector-Borne and Zoonotic Diseases*, 2010;10(3):313-6.
108. Hatam, G R, Rezanezhad H, Motazedian, M H, **Sarkari B**. In Vitro Infectivity of *Leishmania major* Isolated from Patients with Different Clinical Forms of Cutaneous Leishmaniasis and Its Association with Parasite Zymodems *Iranian J Parasitol*: Vol. 4, No.3, 2009, pp. 52-60.
109. Ghatei MA, Hatam GR, Hossini MH, **Sarkari B**. Performance of latex agglutination test (KAtex) in diagnosis of visceral leishmaniasis in Iran. *Iranian J immunol*. 2009;6(4):202-7.
110. Sadjjadi SM, Sedaghat F, Hosseini SV, **Sarkari B**. Serum antigen and antibody detection in echinococcosis: application in serodiagnosis of human hydatidosis. *Korean J Parasitol*. 2009 Jun;47(2):153-7
111. **Sarkari B**, Hatam GR, Adnai SJ, Asgari. Seroprevalence of feline leishmaniasis in areas of Iran where *Leishmania infantum* is endemic. *Annals of Tropical Medicine & Parasitology*, 2009; 103 (3): 275–277.
112. Zibaee M, Sadjjadi SM, **Sarkari B**, Oryan A, Uga S. In vitro cultivation of *Toxocara cati* adult worms for production of eggs and evaluation of oviposition. *Helminthologia*, 2009; 46(1):28 -30.
113. Hatam GR, Ghatee MA, Hossini SMH, **Sarkari B**. Improvement of the newly developed latex agglutination test (katex) for diagnosis of visceral lieshmaniasis. *Journal of Clinical Laboratory Analysis* 2009;23(4):202-5.
114. Sarkari, B., Hatam, G.R., Mikaeili, F., Sadeghi, H. & Ebrahimi, S. A comparative study of antigen and antibody detection in visceral leishmaniasis using serum and urine-based ELISA *Tropical Biomedicine*, 2008, 25(2): 96–99.
115. Najafizadeh M, Farhadi N, **Sarkari B**. Role of HLA-B7, B8, B27, and B51 in protection against hepatitis B virus infection. *Iran J Med Sci* 2008; 33(4): 239-242.
116. Habibi P, Sadjjadi SM, Owji M , Moattari A, **Sarkari B**, Naghibalhosseini F, Hatam GR, Kazemian S. Characterization of in Vitro Cultivated Amastigote like of *Leishmania major*: A Substitution for in Vivo Studies. *Iranian J Parasitol*: Vol.3, No.1, 2008, pp. 6-15.
117. Hatam GR, Mikaeili F, Sadjjadi SM1, **Sarkari B**. Direct agglutination test and enzyme linked immunosorbent assay with urine samples for the diagnosis of visceral leishmaniasis. *Iranian J Parasitol*, 2007;2(3):24-28.
118. Sadjadi SM, Abidi H, Izadpanah A and **Sarkari B**, Kazemian S. Evaluation of enzyme linked immunosorbent assay, utilizing native antigen B for serodiagnosis of human hydatidosis. *Iran J Immunol*, 2007; 4(3): 167-172.

119. **Sarkari B**, Sadjjadi SM, Abidi H, Izadpanah A, Kazemian S, Rafati A. Application of western blotting using native antigen b for serodiagnosis of human cystic echinococcosis. *Iranian J Parasitol*, 2007; 2(3):7-12.
120. Ebrahimi S, Jamshidnejad E, Dabiri N, and **Sarkari B**. Efficacy of 10% silver nitrate solution in treatment of common warts, a placebo-controlled randomized clinical trial. *International Journal of Dermatology*, 2007, 46: 215–217.
- 121.
122. Najafizadeh M, Farhadi N, **Sarkari B**. Th1 cytokine profiles in hepatitis C virus infected patients and their contribution to inflammatory responses. *Shiraz E Medical Journal*, 2007, 8 (1): 22-27.
123. Zibaei M, Sadjjadi SM, Jahadi Hosseini SH, **Sarkari B**. A method for accelerating the maturation of *Toxocara cati* eggs, *Iranian J Parasitol*: Vol.2, No.1, 2007, pp.39-42.
124. Ebrahimi S, **Sarkari B**. Comparative Efficacy of Dexamethasone versus hydrocortisone in acute pediatric asthma. *Iran J Allergy Asthma Immunol* 2007; 6(2): 101-102.
125. Zibaei M, Sadjjadi SM, Jahadi Hosseini SH, **Sarkari B**. Prevalence of *Toxocara cati* and other intestinal helminths in stray cats in Shiraz, Iran. *Tropical Biomedicine journal*, 2007 24(2): 39–43.
126. Mikaeili F, Fakhar M, **Sarkari B**, Motazedian MH, Hatam GR. Comparison of serological methods (ELISA, DAT and IFA) for diagnosis of visceral leishmaniasis utilizing an endemic strain. *Iranian J immunol*, 2007; 4(2): 116-121.
127. Hatam GR, Khorami HR, Sahebani N, **Sarkari B**. Evaluation of enzyme linked immunosorbent assay (ELISA) and dot ELISA for diagnosis of amoebiasis. *Shiraz E Medical Journal*, 2007, 8 (3): 132-137.
128. **Sarkari B**, Chance ML, and Hommel M. Antigenuria in visceral leishmaniasis: detection and partial characterization of a carbohydrate antigen. *Acta Tropica*, 2002, 82: 339–348.
129. **Sarkari B**, Chance ML and Hommel M. A capture ELISA for the diagnosis of visceral leishmaniasis using a monoclonal antibody against a leishmanial urinary antigen. *Iranian Biomedical Journal*, 2005, 9 (3): 117-122.
130. Mirjalili A, **Sarkari B**. Isolation of infective promastigotes of *Leishmania major* from long-term culture by cocultivation with macrophage cell-line. *Biologicals* 2005, 33: 257-260
131. Mirjalili A, Parmoor E, Moradi Bidhendi S, and **Sarkari B**. Microbial contamination of cell cultures; a 2 years study. *Biologicals*, 2005, 33: 81-85.
132. **Sarkari B**, Chance ML, and Hommel M. Detection of antigen in visceral leishmaniasis. *Scandinavian Journal of Immunology*, 2001, 54, supplement 1, July-August, P 127.
133. Hommel M, **Sarkari B**, Carney J, and Chance ML. Katex for the diagnosis of human visceral leishmaniasis. *Med Trop*, 2001, 61(6): 503-5.

134. **Sarkari B**, Chance ML, and Hommel M. Characterisation of urinary antigens in visceral leishmaniasis. *Transactions of the Royal Society of Tropical Medicine and Hygiene*, 2000, 94: p 134.
135. **Sarkari B**, Fakhar M, Hatam GR, Motazedian MH, Ebrahimi S, Kalantari M and Rezanejad H. Characterization of Leishmania parasites isolated from Kala azar patients in Kohgiloyeh and BoyerAhmad, using semi-nested PCR. *Armaghan Danesh, Journal of Yasuj University of medical sciences*, 2006, 11, 1, 27-33.
136. **Sarkari B**, Zargar M, Mohammadi R, Askarian S. Prevalence of hepatitis B antibodies in health-care workers in Yasuj/Iran hospitals. *Journal of Clinical Virology* 2006, 36: (suppl 2), 206.
137. **Sarkari B**, Rezanejad H, Hatam GR, Motazedian MH, and Mirjalili A. An in vitro study on virulence of Leishmania parasite isolated from cutaneous leishmaniasis patients. *Armaghan Danesh, Journal of Yasuj university of medical sciences*, 2006, 10 (3), 39: 17-24.
138. **Sarkari B**. Parasitic infections of vegetables in Yasuj city. *Journal of Yasuj University of medical sciences*, 1376, 3, p 15-18.
139. **Sarkari B**, Zargar MA., Mohammadi R., Askarian S. Prevalence of hepatitis B antibodies in health-care workers in Yasuj hospitals. *Armaghan Danesh, Journal of Yasuj University of medical sciences*, 1385; 11(4):98-106.
140. **Sarkari B**, Tadayon H, Askarian SH, Farnia E, Askarian M. In Vitro anti-Trichomonas activity of Freula assafoetida and garlic extracts. *Journal of Gorgan University of Medical Sciences*, 2009; 11(3): 13-17.
141. Khalili B, Shahabi GH, Khayeri S, **Sarkari B**, Khalili M, Samadzadeh M. Prevalence of Cryptosporidium and Risk Factors Related to Cryptosporidiosis in Hospitalized Children under 5 Years of Age Due to Diarrhea (Shahrekord- 2005). *Armaghan Danesh, Journal of Yasuj University of Medical Sciences*, 1386; 47:106-116.
142. **Sarkari B**, Naghmachi M, Azimi S, Vaezi M, Ebrahimi S Human Cystic Echinococcosis in Yasuj: A Survey of Ten Year Hospital Records. *Armaghan Danesh, Journal of Yasuj University of Medical Sciences*, 1386; 47:127-134.