
:

:★

(CVP)

(referral)

()

paper patching

★

★

★
★
★

(flexible)

()

MRI -CT

★
★
★

TNM

(upper Aerodigestive)

★
★

rigid

☆

(occlusal)

★

★

:

★

:

:

III II I

blow out

III II I

☆

:

:

(incision)

extensive tension dog ear

:

clinical masking

(dizziness)

(Pierre-Robin)

(Crouzon)

(sleep apnea)

★

:

(penetrating)

VT (Ventilation Tube)

☆

:

2

3

(hard of hearing)

(deafness)

I

★

(Caldwell-Luc)

★

(trephination)

★

rigid

★

★

(MRI -CT)

:

(reconstruction)

()

(submaxillary)

(management)

:

★

nonrigid rigid

:

occlusal

(Arch Bar)

★

Tripod

(Sub Muscular Aponeurotic System) SMAS

SMAS

pitfall

Z-plasty

derm abrasion

scar revision

full - thickness & split

(speech audiometry)

(functional hearing loss)

ENG

caloric tests positional/ positioning tests oculomotor tests gaze and spontaneous nystagmus tests

autorotation

computerized platform MR CT) posturography gait
(non-Computerized sway analysis
MLM BPPV vestibular rehabilitation therapy

IgE

IgG

()

() IgE

:

()

()

★

(phonation)

(velopharynx)

(articulation)

)

★

(

:

I

medial maxillectomy

()

★

median labial mandibular glossotomy

(...)

malocclusion

• Le Fort Tripod

CSF

lop ear

full - thickness و split

:

auditory evoked potential

middle latency responses

،ABR (auditory brain response)

auditory evoked potential

pseudohypoacusis

(fitting)

(fitting)

:

-MR

-CT VOR ENG

BPPV

:

multi test

endpoint

serial endpoint dilution

serial endpoint titration

Immuno-Cap ,Fadal-Nalebuff ,ELIZA ,modified RAST ,MAST ,FAST *in vitro*

in vitro

in vitro

CLIA OSHA

DCR (dacryocystorhinostomy)

modified radical mastoidectomy

)

(

2

3

facial recess approach

cranial facial resection

()

(conservative)

(curative)

(palliative)

median labial mandibular glossotomy

:

:

()

:

...

csf

-

:

saddle nose

chemical peel

psychoacoustics

)

(

provocation

provocation

(facial recess approach

()

)

. ... Online :

.

/ / /Data.a